

From: Jennie Saxe/R3/USEPA/US
Sent: 5/23/2012 7:47:50 AM
To: Pamela Janifer/DC/USEPA/US@EPA
CC:
Subject: Re: Committee Request

Pamela - hopefully just one more question...

When they ask for anything above a "safe threshold", do you think they're looking for anything over an MCL? Or, do you think they're interested in anything highlighted in the table (in yellow) as over the "trigger level" for the project? (The trigger levels were set below drinking water standards to flag them for expedited tox review - they're not necessarily indications of levels above a safe threshold.)

Thanks - just want to be sure we pull the right data the first time.

Jennie

From: Pamela Janifer/DC/USEPA/US
To: Jennie Saxe/R3/USEPA/US@EPA
Date: 05/22/2012 05:06 PM
Subject: Re: Committee Request

That is correct.

Pamela Janifer
U.S. Environmental Protection Agency
Office of Congressional Affairs
1200 Pennsylvania Avenue, N.W.
Mailcode: 1301A
Washington, D.C. 20460
202.564.6969
202.501.1549 - FAX
janifer.pamela@epa.gov

From: Jennie Saxe/R3/USEPA/US
To: Pamela Janifer/DC/USEPA/US@EPA
Date: 05/22/2012 05:03 PM
Subject: Re: Committee Request

Just to confirm - this is EPA's sampling data they're asking for?
(i.e., not the data from DEP/Cabot we evaluated to decide to take an action).

Thanks!

Jennie Perey Saxe, Ph.D.
State/Congressional Liaison - Pennsylvania
U.S. EPA Region III
215-814-5806
saxe.jennie@epa.gov

----- Original Message -----

From: Pamela Janifer
Sent: 05/22/2012 04:50 PM EDT
To: Jennie Saxe
Subject: Re: Committee Request
Since this is hearing prep, they probably want tomorrow or Thursday at the latest.

Pamela Janifer
U.S. Environmental Protection Agency
Office of Congressional Affairs
1200 Pennsylvania Avenue, N.W.
Mailcode: 1301A
Washington, D.C. 20460
202.564.6969
202.501.1549 - FAX
janifer.pamela@epa.gov

From: Jennie Saxe/R3/USEPA/US
To: Pamela Janifer/DC/USEPA/US@EPA
Date: 05/22/2012 04:45 PM
Subject: Re: Committee Request

Pamela - let me check. What's your timeline for getting back to them?

Thanks!

Jennie

Jennie Perey Saxe, Ph.D.
State/Congressional Liaison - Pennsylvania
U.S. EPA Region III
215-814-5806
saxe.jennie@epa.gov

----- Original Message -----

From: Pamela Janifer
Sent: 05/22/2012 03:28 PM EDT
To: Jennie Saxe
Subject: Committee Request
Thanks Jennie -

I just got a request from House Committee on Oversight and Government Reform, Subcommittee on Technology, Information Policy, Intergovernmental Relations and Procurement Reform staff. They want to know if we have a more user friendly version of the data summary. Something that just lists the contaminants above the safe thresholds. Thanks

—
Pamela Janifer
U.S. Environmental Protection Agency
Office of Congressional Affairs
1200 Pennsylvania Avenue, N.W.

Mailcode: 1301A
Washington, D.C. 20460
202.564.6969
202.501.1549 - FAX
janifer.pamela@epa.gov

From: Jennie Saxe/R3/USEPA/US
To: Pamela Janifer/DC/USEPA/US@EPA
Date: 05/22/2012 12:47 PM
Subject: website

http://www.epaosc.org/dimock_residential_groundwater

Jennie Perey Saxe, Ph.D.
State/Congressional Liaison - Pennsylvania
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215-814-5806
saxe.jennie@epa.gov